

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2826	token same bit	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 16:58
L5	254	token same bit same parameter\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 16:58
L6	51	5 same (network wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:09
L7	203	5 and (network wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 16:58
L8	24	"6216004" and bit\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:11
L10	4	"6636502" and (bandwidth protocol)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:13
L11	1217	bit\$1 near15 parameter\$1 same (mobile wireless bs ms)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:14
L12	251	bit\$1 near15 parameter\$1 same (mobile wireless bs ms) same network\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:14
L13	193	bit\$1 near15 parameter\$1 same (mobile wireless bs ms) same network\$1 and (bandwidth protocol)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:14
L14	88	bit\$1 near15 parameter\$1 same (mobile wireless bs ms) same network\$1 and bandwidth and protocol	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 17:15
S1	248	(user\$1 client\$1 terminal device) near10 default near10 (parameter\$1) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 11:21
S3	169	S1 and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 11:19
S4	116	S1 and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 11:19

S5	171	(user\$1 client\$1 terminal device) near10 (predefined predetermined default) near5 (parameter\$1) same server\$1 and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:20
S6	7	(user\$1 client\$1 terminal device) near10 different near5 (stored default) near5 (parameter\$1) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:11
S7	235	(user\$1 client\$1 terminal device) near10 different near5 (parameter\$1) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:12
S9	70	(user\$1 client\$1 terminal device) near10 different near5 (parameter\$1) same (station server\$1) and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:12
S10	13	(user\$1 client\$1 terminal device) near10 (predefined predetermined default) near5 (parameter\$1) same station\$1 and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4) same server\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:13
S12	51	(different other) same (user\$1 client\$1 terminal device) near10 (predefined predetermined default) near5 (parameter\$1) same (station server\$1) and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4) same (server\$1 station)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:48
S13	303	(different other) same (user\$1 client\$1 terminal device) near10 (predefined predetermined default) near5 (parameter\$1) and (user\$1 client\$1 terminal device) near10 (configur\$4 negotiat\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:20
S15	104	(different other) same (user\$1 client\$1 terminal device) near15 (predefined predetermined default) near5 (parameter\$1) same (station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:09
S16	53	S15 not S12	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 13:49
S17	375	(different other) near15 (user\$1 client\$1 terminal device) near15 (setting parameter\$1) near10 (station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:10

S18	259	(different other) near15 (user\$1 client\$1 terminal device) near15 (parameter\$1) near10 (station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:11
S20	240	S18 not S15	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:10
S21	54	(different other) same (user\$1 client\$1 terminal device) near10 operat\$3 near15 (parameter\$1) near10 (station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:36
S22	88	(client\$1 user\$1 terminal device) near10 (default predetermined predefined) same stored near10 (setting parameter\$1 configuration) near15 (server\$1 station)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:39
S23	42	(client\$1 user\$1 terminal device) near10 (different default predetermined predefined) same (server\$1 station) near5 (access\$4 us\$3) near5 stored near10 (setting parameter\$1 configuration)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 14:39
S24	292	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 stored near5 (configuration profile parameter\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:14
S25	24	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 stored near5 (configuration profile parameter\$1) same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:17
S26	35	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 stored near5 (configuration profile parameter\$1) and (mobile wireless).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:25
S27	30	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 stored near5 (configuration profile parameter\$1) same (default predefined predetermined)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:20

S29	5	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (memory) same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:26
S30	7	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (memory) and (mobile wireless).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:26
S31	240	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (stored memory) and (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:27
S32	45	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (stored memory) and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:27
S33	118	(client\$1 user\$1 terminal\$1 device\$1) same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (stored memory) and (mobile wireless) near10 (device terminal)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:29
S34	20	(client\$1 user\$1 terminal\$1 device\$1) near15 request\$4 same (server\$1 station\$1 bs) near10 access\$4 near5 (configuration profile parameter\$1) near10 (stored memory) and (mobile wireless) near10 (device terminal)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:30
S35	1	"6591103" and profile\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:33
S36	2	"6591103" and default\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:40
S37	468	(user\$1 client\$1 terminal device) near10 default\$1 near10 (connection\$1 parameter\$1 requirement\$1) same (station\$1 server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:43

S38	31	(user\$1 client\$1 terminal device) near10 default\$1 near10 (connection\$1 parameter\$1 requirement\$1) same (station\$1 server\$1) same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:37
S39	6	"6714987" and default	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:40
S40	24	(user\$1 client\$1 terminal device) near10 default\$1 near10 (connection\$1 parameter\$1 requirement\$1) same (station\$1 server\$1) and (wireless mobile) near15 (user\$1 client\$1 terminal\$1 device) near15 request\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:57
S41	1734	(token bit) near10 indicat\$4 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:08
S42	350	(message request) near10 (token bit) near10 indicat\$4 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 15:58
S43	43	(message request) near10 (token bit) near10 indicat\$4 same (mobile wireless) same parameter\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/25 08:30
S44	59	(message request) near10 (token bit) near10 parameter\$1 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:16
S45	37	S44 not S43	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:06
S46	0	token same bit near10 indicat\$4 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:08
S47	6	token same bit same parameter\$1 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:08
S48	1	(token bit) near10 default near5 parameter\$1 same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:16
S49	3	(token bit) near10 default near5 (setting\$1 parameter\$1) same (mobile wireless)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/23 16:17
S96	36997	(mobile wireless) same (communication network).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:37
S97	158	(cannot fail\$3) near15 (profile preference) near15 (stored database)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:20

S98	8	S96 and S97	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:19
S99	871	no near15 (profile preference) near15 (stored database station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:22
S10 0	60	S99 and S96	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:21
S10 1	3	S100 and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:20
S10 2	2230	(new no) near15 (profile preference) near15 (stored database station server\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:22
S10 3	159	S102 and S96	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:22
S10 4	167061	(mobile wireless) same (communication network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:37
S10 5	80	S104 same S102	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:38
S10 6	448	(request\$4 search\$3) near15 profile same (wireless mobile) same (communications network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:39
S10 7	46	(another second) same (request\$4 search\$3) near15 profile same (wireless mobile) same (communications network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:40
S10 8	31	(another second) near15 (access\$4 request\$4 search\$3) near15 profile same (wireless mobile) same (communications network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:44
S10 9	0	(fail\$1 cannot\$) same (another second) near15 (access\$4 request\$4 search\$3) near15 profile same (wireless mobile) same (communications network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:46
S11 0	17	negotiat\$4 same new same profile same (wireless mobile) same (communication\$1 network\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:46
S11 1	17	(creat\$4 generat\$4 make) near15 new near15 profile same (wireless mobile) same (communication\$1 network\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:50

S11 2	187	new near15 profile same (wireless mobile) same (communication\$1 network\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:53
S11 3	2	(no near5 (previous\$2 exist\$4)) same new near15 profile same (wireless mobile) same (communication\$1 network\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 09:52
S11 4	18	new near15 request\$4 same (creat\$4 generat\$4 mak\$4 stor\$4) near5 profile same (wireless mobile) same (communication\$1 network\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:13
S11 5	1	"6591103" and profile\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:34
S11 6	48	(another second) near15 (access\$4 request\$4) near15 (profile preference user adj information) same (mobile wireless) same (network\$1 communication\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:44
S11 9	2609	first same (another second) near15 (receiv\$4 retriev\$4 access\$4 request\$4) near15 (profile preference user adj information)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:49
S12 0	123	S96 and S119	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:54
S12 1	5	"6085086" and profile\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 10:57
S12 2	18	handoff same receiv\$4 near15 (profile preference)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:22
S12 3	135	profile same different same negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:35
S12 4	36	profile near15 different same negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:40
S12 5	68	S123 same (mobile wireless network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:35
S12 6	268	(parameter\$1 profile\$1) near15 different same negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:13
S12 7	4	stored near10 (parameter\$1 profile\$1) near15 different same negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:44

S12 8	91	S126 same (mobile wireless network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 12:44
S12 9	41	(parameter\$1 profile\$1) near15 updat\$4 same negotiat\$4 same (wireless mobile network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:06
S13 0	177	stored near10 (parameter\$1 profile\$1) near10 different same (wireless mobile communication\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:27
S13 1	18	stored near10 (parameter\$1 profile\$1) near10 different near15 (server\$1 station bs) same (wireless mobile communication\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:16
S13 2	95	stored near10 (parameter\$1 profile\$1) near15 different near10 parameter\$1 same (network\$1 wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:52
S13 4	469	(need required) near15 updat\$4 same (parameter\$1 profile\$1) same (network\$1 wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:53
S13 5	201	(need required) near15 updat\$4 near15 (parameter\$1 profile\$1) same (network\$1 wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:57
S13 6	1	S135 same negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 13:57
S13 7	30	(need required) near15 updat\$4 near15 (parameter\$1 profile\$1) same (network\$1 wireless mobile) and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 14:28
S13 8	1	"20020002705" and profile\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 14:06
S13 9	95	(need required) near15 updat\$4 near15 (parameter\$1 profile\$1) and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 14:28
S14 0	58	(network wireless mobile).ab. and (need required) near15 updat\$4 near15 (parameter\$1 profile\$1) and negotiat\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 14:34
S14 1	1	"5241598".pn. and (profile parameter\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/26 16:37